

**APPLICATION FOR UNITED STATES PATENT**

**INVENTOR:** THOMAS N. TURBA

**INVENTION:** CONVERTER FOR XML DOCUMENT TYPE DEFINITION  
TO INTERNAL XML ELEMENT MAPPING TREE


**DOCKET  
NUMBER:** RA 5412 (33012/330/101)

**CUSTOMER  
NUMBER:** 27516

Unisys Corporation  
Charles A. Johnson  
P O Box 64942 - MS 4773  
St. Paul, MN 55164  
Attorney for Applicant  
Reg. No.: 20,852

**SPECIFICATION**

CERTIFICATE UNDER 37 CFR 1.10: The undersigned hereby certifies that this transmittal letter and the paper of papers, as described hereinabove, are being deposited in the United States Postal Service, "Express Mail Post Office to Addressee" having an Express Mail mailing label number of ET351442252US, in an envelope addressed to: ASSISTANT COMMISSIONER OF PATENTS, Washington, D.C. 20231 on the 21<sup>st</sup> day of December, 2001.

  
Charles A. Johnson

**CONVERTER FOR XML DOCUMENT TYPE DEFINITION**  
**TO INTERNAL XML ELEMENT MAPPING TREE**

**CROSS REFERENCE TO CO-PENDING APPLICATIONS**

U.S. Patent Application No. \_\_\_\_\_, filed \_\_\_\_\_, and entitled, "Active Index"; and U.S. Patent Application No. 10/028146, filed 12/21/2001, and entitled, "XML Element to Source Mapping Tree" are a commonly assigned co-pending application incorporated herein by reference. *pending*  
*4/8/04 yw*

**BACKGROUND OF THE INVENTION**

**1. Field of the Invention:** The present invention generally relates to data base management systems and more particularly relates to enhancements for providing an interface between a legacy data base management system and Internet servers employing XML (extended markup language) protocol.

**2. Description of the prior art:** Data base management systems are well known in the data processing art. Such commercial systems have been in general use for more than 20 years. One of the most successful data base management systems is available from Unisys Corporation and is called the MAPPER→ data base management system. The MAPPER system can be reviewed using the MAPPER User's Guide which may be obtained from Unisys Corporation.

The MAPPER system, which runs on proprietary hardware also available from Unisys Corporation, provides a way for clients to partition data bases into structures called cabinets,

drawers, and reports as a way to offer a more tangible format. The MAPPER data base manager utilizes various predefined high-level instructions whereby the data base user may manipulate the data base to generate human-readable data presentations. The user is permitted to prepare lists of the various predefined high-level instructions into data base manager programs called "MAPPER Runs". Thus, users of the MAPPER system may create, modify, and add to a given data base and also generate periodic and aperiodic updated reports using various MAPPER Runs.

However, with the MAPPER system, as well as with similar proprietary data base management systems, the user must interface with the data base using a terminal coupled directly to the proprietary system and must access and manipulate the data using the MAPPER command language of MAPPER. Ordinarily, that means that the user must either be co-located with the hardware which hosts the data base management system or must be coupled to that hardware through dedicated data links. Furthermore, the user usually needs to be schooled in the command language of MAPPER (or other proprietary data base management system) to be capable of generating MAPPER Runs.

Since the advent of large scale, dedicated, proprietary data base management systems, the internet or world wide web has come into being. Unlike closed proprietary data base management systems, the internet has become a world wide bulletin board, permitting all to achieve nearly equal access using a wide variety of hardware, software, and communication protocols. Even though some standardization has developed, one of the important characteristics of the world wide web is its ability to constantly accept new and emerging techniques within a global framework. Many current users of the internet have utilized several generations of

hardware and software from a wide variety of suppliers from all over the world. It is not uncommon for current day young children to have ready access to the world wide web and to have substantial experience in data access using the internet.

Thus, the major advantage of the internet is its universality. Nearly anyone, anywhere can become a user. That means that virtually all persons are potentially internet users without the need for specialized training and/or proprietary hardware and software. One can readily see that providing access to a proprietary data base management system, such as MAPPER, through the internet would yield an extremely inexpensive and universally available means for accessing the data which it contains and such access would be without the need for considerable specialized training.

There are two basic problems with permitting internet access to a proprietary data base. The first is a matter of security. Because the internet is basically a means to publish information, great care must be taken to avoid intentional or inadvertent access to certain data by unauthorized internet users. In practice this is substantially complicated by the need to provide various levels of authorization to internet users to take full advantage of the technique. For example, one might have a first level involving no special security features available to any internet user. A second level might be for specific customers, whereas a third level might be authorized only for employees. One or more fourth levels of security might be available for officers or others having specialized data access needs.

Existing data base managers have security systems, of course. However, because of the physical security with a proprietary system, a certain degree of security is inherent in the limited

access. On the other hand, access via the internet is virtually unlimited which makes the security issue much more acute.

Current day security systems involving the world wide web involve the presentation of a user-id and password. Typically, this user-id and password either provides access or denies access in a binary fashion. To offer multiple levels of secure access using these techniques would be extraordinarily expensive and require the duplication of entire databases and or substantial portions thereof. In general, the advantages of utilizing the world wide web in this fashion to access a proprietary data base are directly dependent upon the accuracy and precision of the security system involved.

The second major problem is imposed by the internet protocol itself. One of the characteristics of the internet which makes it so universal is that any single transaction in HTML (or XML) language combines a single transfer (or request) from a user coupled with a single response from the internet server. In general, there is no means for linking multiple transfers (or requests) and multiple responses. In this manner, the internet utilizes a transaction model which may be referred to as "stateless". This limitation ensures that the internet, its users, and its servers remain sufficiently independent during operation that no one entity or group of entities can unduly delay or "hang-up" the communications system or any of its major components. Each transmission results in a termination of the transaction. Thus, there is no general purpose means to link data from one internet transaction to another, even though in certain specialized applications limited amounts of data may be coupled using "cookies" or via attaching data to a specific HTML screen.

However, some of the most powerful data base management functions or services of necessity rely on coupling function attributes and data from one transaction to another in dialog fashion. In fact this linking is of the essence of MAPPER Runs which assume change of state from one command language statement to the next. True statelessness from a first MAPPER command to the next or subsequent MAPPER command would preclude much of the power of MAPPER (or any other modern data base management system) as a data base management tool and would eliminate data base management as we now know it.

Providing the system with the capability to save the needed information from transaction to transaction permits applications to be developed for a true dialog-type interface between the legacy data base management system and an Internet terminal. However, to make maximum use of the database management system from the Internet terminal, an appropriate customized user interface is required. With previous systems, the user interface was predefined in accordance with the related Internet connection.

An especially troublesome issue associated with implementation of communication between the Internet servers and the legacy data base management system involves the XML (extended markup language) format. The enhanced flexibility of this protocol makes interface with an inherently incompatible format particularly difficult.

## SUMMARY OF THE INVENTION

10027330-122104  
The present invention overcomes the disadvantages of the prior art by providing a method of and apparatus for automatically defining the format into which the document received over the Internet in XML format will be structured for eventual use within a legacy data base management system. In order to permit such functionality, the present invention must first provide an interface herein referred to generically as a gateway, which translates transaction data transferred from the user over the internet in XML format into a format from which data base management system commands and inputs may be generated. The gateway must also convert the data base management system responses and outputs for usage on the user's internet terminal.

Thus, as a minimum, the gateway must make these format and protocol conversions. In the preferred embodiment, a number of gateways reside in the web server coupled to the user via the world wide web and coupled to proprietary data base management system.

To make access to a proprietary data base by internet users practical, a sophisticated security system is required to prevent intentional or inadvertent unauthorized access to the sensitive data of an organization. As discussed above, such a security system should provide multiple levels of access to accommodate a variety of authorized user categories. In the preferred embodiment of the present invention, rather than defining several levels of data classification, the different classes of users are managed by identifying a security profile as a portion of those service requests requiring access to secure data. Thus, the security profile accompanies the data/service to be accessed. User information is correlated to the access

permitted. This permits certain levels of data to be accessed by one or more of the several classes of user.

In the preferred mode of practicing the present invention, a given user is correlated with a security profile. Upon preparation of the service request which provides internet access to a given portion of the data base, the service request developer specifies which security profiles are permitted access to the data or a portion thereof. The service request developer can subsequently modify the accessibility of any security profile. The utility of the system is greatly enhanced by permitting the service request developer to provide access to predefined portions of the data, rather than being limited to permit or deny access to all of the data involved.

The present invention also permits the system to modify and redefine the security profiles during operation. In accordance with the preferred technique, the system administrator can access an individual user and directly modify the security profile just for that user. This is accomplished by calling up an HTML page for the selected user showing the security profile of record. The system administrator makes changes as appropriate. The Data Wizard Security Service generates script associated with the security profile change which provides the selected user with the new set of access privileges.

Whereas the gateway and the security system are the minimum necessary to permit the most rudimentary form of communication between the internet terminal of the user and the proprietary data base management system, as explained above, the internet is a "stateless" communication system; the addition of the gateway and the security system do not change this statelessness. To unleash the real power of the data base management system, the



communication protocol between the data base and the user requires functional interaction between the various data transfers.

The present invention adds security management and state management to this environment. Instead of considering each transfer from the internet user coupled with the corresponding server response as an isolated transaction event as defined by the world wide web, one or more related service requests may be functionally associated in a service request sequence as defined by the data base management system into a dialog.

A repository is established to store the state of the service request sequence. As such, the repository can store intermediate requests and responses, as well as other data associated with the service request sequence. Thus, the repository buffers commands, data, and intermediate products utilized in formatting subsequent data base management service requests and in formatting subsequent data to be available to the user's browser.

The transaction data in HTML format received by the server from the user, along with the state information stored in the repository, are processed by a service handler into a sequence of service requests in the command language of the data base management system.

Through the use of the repository to store the state of the service request sequence, the service handler to execute data base management commands, the world wide web user is capable of performing each and every data base management function available to any user, including a user from a proprietary terminal having a dedicated communication link which is co-located with the proprietary data base management system hardware and software. In addition, the data base

management system user at the world wide web terminal is able to accomplish this, without extensive training concerning the command language of the data base management system.

In accordance with the preferred mode of the present invention, the Cool ICE Data Wizard Join Service provides a web based interface that allows a developer to create a web based service that joins tables from MAPPER Reports, MAPPER runs, databases that are ODBC compliant, and many RDMS, and MAPPER. This service renders the resulting table to the web. This result can be rendered to the web either by a Cool ICE Script or by an Active Server Page.

In accordance with the present invention, a customized user interface is built from multiple components stored in the proprietary database management system. Unlike previous approaches, the web-based service component is split into multiple components: an application service component, a screen component, a receiving service component, and a new template component.

The screen component calls the template component, which collects all of the indexed pieces that it needs from within the proprietary database and displays this dynamically built data in the browser. When an action against the data is initiated from the browser, the receiving service component is called to perform the specified action and then inform the user that the action has completed. These multiple components seamlessly interact to build a consistent user interface that can easily be tailored to meet users' presentation and performance needs.

By separating the code into multiple components, this new architecture allows adaptability to the user's environment, ease of maintenance, and ease of localization. Users can easily alter the look-and-feel of the user interface by making changes to the new template

component. For example, changes to layout, color, use of graphics, or addition of a company-specific logo can quickly and easily be done by simply making changes to the template component. By choosing to exclude large graphical elements from the template component, performance enhancements may also be realized. In addition, the template component gives the user a wide range of languages in which to program their user interface including HTML, HDML, XML, WML, JavaScript, Vbscript, and WMLscript. This tremendous flexibility gives the user a fast and effective way to tailor their user interface.

In accordance with the present invention, the preferred embodiment employs a source mapping tree through which the translation between XML and the internal system is defined. The XML source mapping tree is a structure which may be depicted on the left side of an appropriate translation window. It is a visual structural representation of the XML document which is being mapped. The structural definition of the tree may be derived in a number of ways including previous storage, user modification, etc.

The XML tree contains elements and attributes that represent the data in an XML document. The tree expands and contracts by operator action. The Elements link at the top of the XML tree structure provides a set of actions for the XML tree. These actions are shown in an Actions box on the right pane of the window. Attributes are shown by symbols to the right of the name field of each element:

Attribute (a);

Value (v);

Required Repeating (+);

Optional (?); and

Optional Repeating (\*).

The system prevents use of the same name for elements which have different structures.

However, Master copies permit more than one element having the same name and structure.

Thus, Master copies should be used in situations where the same type of information appears more than once in an XML document.

One convenient method for automatically defining the structure of the XML mapping tree is an external Document Type Definition (DTD). The DTD may be stored in memory or may be received externally from over the Internet. To provide automatic mapping, a DTD is required which is a well defined, consistent structure that corresponds to a set of single data values and/or one or more two dimensional tables with columns and rows. It cannot be an XML document that has an object or network structure that does not map to a set of variables and tables. Specifically, an XML document cannot be handled if it has any of the following properties:

- a non-fixed structure (e.g., DTD with ALL as an element form);

- a recursive element structure;

- a repeated element within a repeated element;

- a choice structure in an element; and

- an unnamed optional structure within an element.

There is a special window for the selection of a DTD.

## BRIEF DESCRIPTION OF THE DRAWINGS

Other objects of the present invention and many of the attendant advantages of the present invention will be readily appreciated as the same becomes better understood by reference to the following detailed description when considered in connection with the accompanying drawings, in which like reference numerals designate like parts throughout the figures thereof and wherein:

**FIG. 1** is pictographic view of the Cool ICE system coupled between a user on the world wide web and an existing proprietary data base management system;

**Fig. 2** is a schematic drawing showing the operation of a multi-level security system in accordance with the preferred embodiment of the present invention;

**Fig. 3** is a pictographic view of the hardware of the preferred embodiment;

**Fig. 4** is a semi-schematic diagram of the operation of the Cool ICE system;

**Fig. 5** is an overall schematic view of the software of the Cool ICE system;

**Fig. 6** is a schematic view of a service request;

**Fig. 7** shows a schematic view of a service request sequence;

**Fig. 8** is a diagrammatic comparison between a dialog-based structure and a service-based structure;

**Fig. 9** is a detailed diagram of the storage and utilization of state information within the repository;

**Fig. 10** is a detailed diagram showing security profile verification during a service request;

**Fig. 11** is a flow diagram showing the operation of the Cool ICE Data Wizard;

**Fig. 12** is a detailed flow diagram showing the basic Data Wizard functions;

**Fig. 13** is a flow diagram showing the role of the Cool ICE Administration module;

**Fig. 14** is a diagram showing utilization of the Cool ICE Data Wizard;

**Fig. 15** is a flow diagram showing operation of the Data Wizard Join Service;

**Fig. 16** is a detailed flow diagram for Join Service;

**Fig. 17** is a detailed flow diagram of the Utrace architecture;

**Fig. 18** is a detailed table of the registry settings for initially tracing for an application;

**Fig. 19** is a flow chart showing the generic trace process;

**Fig. 20A** is a table showing typical definitions for policy trace flags;

**Fig. 20B** is a table showing a typical run-time trace call;

**Fig. 21** is a detailed flow chart showing branching from the Data Wizard Main Menu;

**Fig. 22**, consisting of **Fig. 22A**, **Fig. 22B**, and **Fig. 22C**, is a detailed flow chart showing operation of the Query Builder;

**Fig. 23** is a detailed flow chart showing completion of the Query Builder process;

**Fig. 24** is a detailed diagram showing the operation of the key elements of the present invention;

**Fig. 25** is a lead view of the primary window for the Component Builder showing presentation of the XML mapping tree;

**Fig. 26** is a scroll down view of the window of Fig. 25;

**Fig. 27** is a view of the XML element mapping window providing uploading of the DTD;

and

**Fig. 28** is a view of the DTD Upload Results window.

10027338-100104  
T01231"8002001

## DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The present invention is described in accordance with several preferred embodiments which are to be viewed as illustrative without being limiting. These several preferred embodiments are based upon MAPPER data base management system, and the Cool ICE software components, all available from Unisys Corporation.

**Fig. 1** is an overall pictographic representation of a system 10 permitting access to a proprietary data base management system via an internet terminal. Existing data bases and applications 12 represents commercially available hardware and software systems which typically provide select users with access to proprietary data and data base management functions. In the preferred embodiment, existing data bases and applications 12 represents one or more data bases prepared using MAPPER data base management system, all available from Unisys Corporation. Historically, existing data bases and applications 12 could only be accessed from a dedicated, direct terminal link, either physically co-located with the other system elements or connected thereto via a secured dedicated link.

With the preferred mode of the present invention, communication between new web application terminal 14 and existing data bases and applications 12 is facilitated. As discussed above, this permits nearly universal access by users world wide without specialized hardware and/or user training. The user effects the access using standardized HTML and XML transaction



language through world wide web link 16 to the Cool ICE system 20, which serves as a world wide web server to world wide web link 16.

Cool ICE system 20 appears to existing data bases and applications 12 as a data base management system proprietary user terminal over dedicated link 18. Oftentimes, dedicated link 18 is an intranet or other localized link. Cool ICE system 20 is currently available in commercial form as Cool ICE Revision Level 2.1 from Unisys Corporation.

10027338-122101

Fig. 2 is a basic schematic diagram of security system 22 of the preferred mode of the present invention. By way of example, there are four categories of service defined, each with its own functionality and portion of the data base. Service A 36 contains data and functions which should only be made available to customers. Service B 38 contains data and functions which should only be made available to customers or employees. Service C 40 contains data and functions which should only be made available to employees, and Service D 42, containing the least restrictive data and functions may be made available to anyone, including the general public.

In a typical application, Service D 42 might contain the general home page information of the enterprise. It will consist of only the most public of information. It is likely to include the name, address, e-mail address, and phone number of the enterprise, along with the most public of the business details. Usually, Service D 42 would include means of presenting the information in a sufficiently interesting way to entice the most casual of the public user to make further inquiry and thus become more involved with the objectives of the enterprise. Service D 42 represents the lowest level of security with data and functions available to all.

Service C 40 is potentially the highest level of classification. It contains data and functions which can be made available only to employees. In actual practice, this might entail a number of sub levels corresponding to the various levels of authority of the various employees. However, some services may be so sensitive that the enterprise decides not to provide any access via the internet. This might include such things as strategic planning data and tools, advanced

financial predictions, specific information regarding individual employees, marketing plans, etc.

The penalty for this extreme security measure is that even authorized individuals are prohibited from accessing these services via the internet, and they must take the trouble to achieve access via an old-fashioned dedicated link.

Customers and employees may share access to Service B 38. Nevertheless, these data and functions are sufficiently sensitive that they are not made public. Service B 38 likely provides access to product specifications, delivery schedules and quantities, and pricing.

For customer access only is Service A 36. One would expect marketing information, along with specific account information, to be available here.

These four service levels (i.e., Service A 36, Service B 38, Service C 40, and Service D 42) are regulated in accordance with three security profiles. The lowest level of security does not require a security profile, because any member of the general public may be granted access. This can be readily seen as guest category 28 (e.g., a member of the public) can directly access Service D 42. Of course, all other categories of user may also directly access Service D 42, because all members of the more restrictive categories (e.g., customers and employees) are also members of the general public (i.e., the least restrictive category).

Security Profile #1, 30 permits access to Service A 36 if and only if the requestor seeking access is a customer and therefore a member of customer category 24. Members of customer category 24 need to identify themselves with a customer identification code in order to gain access. The assigning and processing of such identification codes are well known to those of skill in the art.

Similarly, Security Profile #3, 34 permits access to Service C 40 if and only if the requestor seeking access is an employee and therefore a member of employee category 26. Security Profile #2, 32 permits access to Service B 38 to requestors from either customer category 24 or employee category 26, upon receipt of a customer identification code or an employee identification code. A more detailed description of the security system of the preferred mode of the present invention is found below.

10027338-122101  
TOTAL 822002

Fig. 3 is a pictorial diagram of hardware suite 44 of the preferred embodiment of the present invention. The client interfaces with the system via internet terminal 46. Terminal 46 is an industry compatible, personalized computer having a suitable web browser, all being readily available commercial products. Internet terminal 46 communicates over world wide web access 48 using standardized HTML and XML protocol.

The Cool ICE system is resident in web server 50, which is coupled to internet terminal 46 via world wide web access 48. In the preferred mode, web server 50 is owned and operated by the enterprise owning and controlling the proprietary data base management system. Web server 50 may serve as the internet access provider for internet terminal 46. Web server 50 may be a remote server site on the internet if the shown client has a different internet access provider. This would ordinarily occur if the shown client were a customer or guest.

In addition to being coupled to world wide web access 48, web server 50, containing the Cool ICE system, can be coupled to network 52 of the enterprise as shown. Network 52 provides the system with communication for additional enterprise business purposes. Thus, The Cool ICE application or web server 50 and others granted access may communicate via network 52 within the physical security provided by the enterprise. Also coupled to network 52 is departmental server 58 having departmental server storage facility 60. Additional departmental servers (not shown) may be coupled to network 52. The enterprise data and enterprise data base management service functionality typically resides within enterprise server 54, departmental server 58, and any other departmental servers (not shown). Normal operation in accordance with

the prior art would provide access to this data and data base management functionality via network 52 to users directly coupled to network 52.

In the preferred mode of the present invention, access to this data and data base management functionality is also provided to users (e.g., internet terminal 46) not directly coupled to network 52, but indirectly coupled to network 52 via web server 50 and the Cool ICE Server application components. As explained below in more detail, web server 50 provides this access utilizing the Cool ICE system resident in web server 50.

10027338-122101  
"BEEZ" 2001

Fig. 4 is pictographic view of the system of Fig. 3 with particular detail showing the organization and operation of the Cool ICE system 62, which is resident in the web server (see also Fig. 3). In this view, the client accesses the data base management system within the enterprise via internet terminal 54 which is coupled to the web server 68 by world wide web path 66. Again, the internet terminal 54 is preferably an industry standard computer utilizing a commercially available web browser.

The basic request/response format of the Cool ICE system involves a "service" (defined in greater detail below) which is an object of the Cool ICE system. The service is a predefined operation or related sequence of operations which provide the client with a desired static or dynamic result. The services are categorized by the language in which they were developed. Whereas all services are developed with client-side scripting which is compatible with internet terminal 54 (e.g., XML), the server-side scripting defines the service category. Native services utilize Cool ICE script for all server-side scripting. On the other hand, open services may have server-side scripting in a variety of common commercial languages including Jscript, VBScript, ActiveX controls, and HTML. Because native services are developed in the Cool ICE script (run) language, greater development flexibility and variety are available with this technique.

Web server 68 provides processor 70 for Active Server Pages (ASP's) which have been developed as open services 72 and a Default ASP 73 for invoking native services. After the appropriate decoding within a native or open service, a call to the necessary Cool ICE object 74 is initiated as shown. The selected service is processed by the Cool ICE engine 76.

Repository 80 is a storage resource for long term storage of the Cool ICE service scripts and short term storage of the state of a particular service. Further details concerning repository 80 may be found by consulting the above referenced, commonly-assigned, co-pending U.S. Patent Application. In the preferred mode of the present invention, the service scripts stored in repository 80 are typically very similar to MAPPER runs as described above. For a more detailed description of MAPPER runs, Classic MAPPER User Manual is available from Unisys Corporation and incorporated herein by reference.

Cool ICE engine 76 sequences these previously stored command statements and can use them to communicate via network 84 with other data base management system(s) (e.g., MAPPER) resident on enterprise server 86 and/or departmental server 88. The storage capability of repository 80 is utilized by Cool ICE engine 76 to store the state and intermediate products of each service until the processing sequence has been completed. Following completion, Cool ICE engine 76 retrieves the intermediate products from repository 80 and formats the output response to the client, which is transferred to internet terminal 54 via web server 68 and world wide web path 66.

Cool ICE Administrator 82 is available for coordination of the operation of Cool ICE system 62 and thus can resolve conflicts, set run-time priorities, deal with security issues, and serve as a developmental resource. Graphing engine 78 is available to efficiently provide graphical representations of data to be a part of the response of a service. This tends to be a particularly useful utility, because many of the existing data base management systems have relatively sparse resources for graphical presentation of data.



The combination of Cool ICE object 74, Cool ICE engine 76, and repository 80 permits a rather simplistic service request from internet terminal 54 in dialog format to initiate a rather complex series of data base management system functions. In doing so, Cool ICE engine 76 emulates an intranet user of the data base management system(s) resident on enterprise server 86 and/or departmental server 88. This emulation is only made possible, because repository 80 stores sequences of command language statements (i.e., the logic of the service request) and intermediate products (i.e., the state of the service request). It is these functions which are not available in ordinary dialog on the world wide web and are therefore not even defined in that environment.

Fig. 5 is a schematic diagram 90 of the software components of the Cool ICE system and the software components to which it interfaces in the preferred mode of the present invention. The client user of the Cool ICE system interfaces directly with web browser 92 which is resident on internet terminal 54 (see also Fig. 4). Web browser 92 is a commercially available browser. The only special requirement of web browser 92 is that it be capable of supporting frames.

Web browser 92 communicates with web server software 96 via internet standard protocol using XML language using world wide web path 94. Web server software 96 is also commercially available software, which is, of course, appropriate for to the web server host hardware configuration. In the preferred mode of the present invention, web server software 96 is hosted on Windows ITS-based server available from Microsoft Corporation..

Cool ICE system software 98 consists of Cool ICE Object { the gateway} 100, Cool ICE service handler 102, Cool ICE administration 104, Cool ICE repository 106, and Cool ICE Scripting Engine 108. It is these five software modules which establish and maintain an interface to web server software 96 using com interfaces and interface to Cool ICE's internal and external data base management system.

Cool ICE object 100 is the interface between standard, commercially available, web server software 96 and the internal Cool ICE system scripting engine with its language and logic facilities. As such, Cool ICE object 100 translates the dialog format, incoming HTML service request into internal Cool ICE requests for service. Intrinsic in this translation is a determination of the service category (see also Fig. 4) -- that is whether the service request is a native service

(i.e., with a default Cool ICE server-side scripting) or an open service (i.e., with server-side scripting in another commercial language using the Cool ICE object 100).

The service request, received from Cool ICE object 100, is utilized by Cool ICE service handler 102 to request the corresponding service action script from Cool ICE repository 106 and to open temporary state storage using Cool ICE repository 106. Cool ICE service handler 102 sequences through the service input variables of the object received from Cool ICE object 100 and transfers each to Cool ICE repository 106 for temporary storage until completion of the service request. Cool ICE service handler 102 retrieves the intermediate products from Cool ICE repository 106 upon completion of the service request and formulates the Cool ICE response for transfer to browser 92 via web server software 96 and world wide web path 94.

Cool ICE administration 104 implements automatic and manual control of the process. It provides for record keeping, for resolution of certain security issues, and for development of further Cool ICE objects. Interconnect 110 and interconnect 112 are software interface modules for communicating over the enterprise network (see also Fig. 4). These modules are dependent upon the remaining proprietary hardware and software elements coupled to the enterprise network system. In the preferred mode of the present invention, these are commercially available from Unisys Corporation.

Fig. 6 is a schematic diagram 116 showing the processing of a service request by the Cool ICE system. Screen 118 is the view as seen by the client or user at an internet terminal (see also Fig. 4). This screen is produced by the commercially available browser 120 selected by the user. Any such industry standard browser is suitable, if it has the capability to handle frames. The language of screen 118 is HTML 124. Hyperlinks 126 is used in locating the URL of the Cool ICE resident server. The components of the URL are as follows. In many instances, this will simply be the internet access provider of the internet terminal, as when the internet terminal is owned by the enterprise and the user is an employee. However, when the user is not an employee and the internet terminal is not necessarily owned by the enterprise, it becomes more likely that hyperlinks 126 identifies a remotely located server.

Icon 122 is a means of expressly identifying a particular service request. Such use of an icon is deemed to be unique. Additional detail concerning this use of an icon is available in the above identified, commonly assigned, co-pending U.S. Patent application. Window area 128 provides for the entry of any necessary or helpful input parameters. Not shown are possible prompts for entry of this data, which may be defined at the time of service request development. Submit button provides the user with a convenient means to transmit the service request to the web server in which the Cool ICE system is resident.

Upon "clicking on" submit button 130, screen 118 is transmitted to web server 136 via world wide web path 132. As discussed above, world wide web path 132 may be a telephonic dial-up of web server 136 or it might be a long and complex path along the internet if web server

136 is remote from the originating internet terminal. Web server 136 is the software which performs the retrieval of screen 118 from world wide web path 132.

Screen 118 is transferred from web server 136 to Cool ICE object 138, wherein it is converted to the internal Cool ICE protocol and language. A browser input is opened at storage resource 166 via paths 150 and 151. Thus the initial service request can be accessed from storage resource 166 during processing up until the final result is transferred back to the user. This access readily permits multi-step and iterative service request processing, even though the service request was transferred as a single internet dialog element. This storage technique also provides initially received input parameters to later steps in the processing of the service request.

Cool ICE object 138 notifies Cool ICE service handler 156 through the Cool ICE Engine Interface 157 that a service request has been received and logged in. The service request itself is utilized by Cool ICE service handler 156 to retrieve a previously stored sequence of data base management system command statements from repository 166. Thus, in the general case, a single service request will result in the execution of a number of ordered data base management system commands. The exact sequence of these commands is defined by the service request developer as explained in more detail below.

Service input parameters 170 is prepared from the service request itself and from the command sequence stored in repository 166 as shown by paths 164 and 165. This list of input parameters is actually stored in a dedicated portion of repository 166 awaiting processing of the service request.

Each command statement from repository 166 identified with the service request object is sequentially presented to a Cool ICE service 168 for processing via path 160. The corresponding input parameters 170 is coupled with each command statement via path 176 to produce an appropriate action of the enterprise data base management system at Cool ICE service 168.

5 After the enterprise data base management system has responded to a given query, the intermediate products are stored as entries in HTML document 172 which is also stored in a dedicated portion of repository 166.

After all command statements corresponding to the service request have been processed by the enterprise data base management system and HTML document 172 has been completed, the result is provided via path 158 to Cool ICE Engine Interface 157. Cool ICE object 138 receives the browser output via path 150. The response is converted to HTML protocol and transferred by web server 136 and world wide web path 134 to be presented to the user as a modified screen (not shown).

Fig. 7 is a pictographic drawing 178 of the development process for creating a Cool ICE service. HTML document 180 is created utilizing any commercially available standard HTML authoring tool (e.g., Microsoft FrontPage). The resulting HTML document 180 is stored as a normal .HTM file. This file will be utilized as a template of the service to be developed.

The authoring process moves along path 182 to invoke the administration module of the Cool ICE system at element 184. The new dynamic service is created using HTML document 180 stored as a normal .HTM file as a template. As HTML document 180 is imported into Cool ICE, sequences of script for the beginning and end of the HTML code are automatically appended to the service. Required images, if any, are also uploaded onto the web server (see also Figs. 5 and 6). The service is edited by inserting additional Cool ICE script, as required. A more detailed description of the editing process may be found in Cool ICE User's Guide, Revision 2.0, available from Unisys Corporation and incorporated herein by reference.

The completed service script is transferred along path 186 to element 188 for storage. The service is stored as a service object in the repository (see also Figs. 5 and 6). Storage is effected within the appropriate category 190 as discussed above, along with services 192, 194, and 196 within the same category.

The process proceeds along path 198 to element 200 for testing. To perform the testing, the URL for the newly created service is entered into the browser of the internet terminal, if known. The typical URL is as follows:

<http://machine-name/Cool-ICE/default.asp?Category=Examples & Service=FRME+01>

If the URL for the new service is not known, a list of the available services may be determined from the Cool ICE system by specifying the Cool ICE URL as follows:

`http://machine-name/Cool-ICE`

This call will result in a presentation of a menu containing the defined categories. Selecting a category from the list will result in a menu for the services defined within that category. The desired service can thus be selected for testing. Selection of the service by either means will result in presentation of the HTML page as shown at element 200.

The process proceeds to element 204 via path 202, wherein the HTML page may be enhanced. This is accomplished by exporting the HTML document from the Cool ICE administration module to a directory for modification. By proceeding back to HTML document 180 via path 208, the exported HTML template is available for modification using a standard HTML authoring tool. After satisfactory completion, the finished HTML document is saved for future use.



Fig. 8 is a diagram showing a comparison between dialog-based structure 210 and service-based structure 212. Dialog-based structure 210 is the norm for the typical existing proprietary data base management system (e.g., Classic MAPPER). The user, normally sitting at a dedicated user terminal, transfers output screen 214 to the data base management system to request a service. The user terminal and its normally dedicated link are suspended at element 216 to permit transfer and operation of the data base management system. The input is validated at element 218, while the user terminal and its normally dedicated link remains suspended.

The data base management system processes the service request at element 220 while the user terminal remains suspended. Output occurs at element 222 thereby releasing the suspension of the user terminal. Thus, a true dialog is effected, because one part of the dialog pair (i.e., the user terminal) is suspended awaiting response from the data base management system. This type of dialog is best accomplished in an environment wherein at least the user terminal (or data base management system) is dedicated to the dialog, along with the link between user terminal and data base management system.

Service-based structure 212 illustrates one of the basic constraints of the world wide web protocol. To ensure that each of the elements on the world wide web are sufficiently independent and to prevent one element from unduly delaying or "hanging-up" another element to which it is coupled awaiting a response, the communication protocol forces a termination after each transmission. As can be readily seen, even the simplest dialog requires at least separate and independent transactions or services. The first service, Service 224, involves the transmissions

of output form 228 from the internet user terminal. This transmission is immediately and automatically followed by termination 230 to ensure independence of the sender and receiver.

The second service, Service 226, enables the receiver of output form 228 to process the request and output an appropriate response. The validation of the input at element 232, processing 234, and output 236 all occur within the receiver of output form 228. Immediately and automatically, termination 238 follows. Thus, if internet transactions are to be linked into a true dialog to permit data base management functions, the state must be saved from one service to the next as taught herein.

In the preferred mode of the present invention, the state of a service is saved in the repository (see also Figs. 4 and 5) for use in the next or subsequent services.

10027333-100101

Fig. 9 is a schematic diagram 240 of the preferred mode of the present invention showing normal data flow during operation, with special attention to the state saving feature. Work station 242 is an industry compatible personal computer operating under a commonly available operating system. Browser 244 is a standard, commercially available web browser having frames capability. Path 248 is the normal world wide web path between work station 242 and web server 254 for the transfer of service requests and input data. These transfers are converted by Cool ICE object 256 as explained above and sent to Cool ICE Engine Interface 259 for disposition.,

The service request for data and/or another function is converted into the data base management language by reference to the service definition portion of repository 262 through reference along path 276. The actual command language of the data base management system is utilized over path 286 to access data base 264. The resultant data from data base 264 is transferred to Cool ICE object 256 via path 288. State manager 260 determines whether the original service request requires additional queries to data base 264 for completion of the dialog. If yes, the resultant data just received from data base 264 is transferred via path 284 to repository 262 for temporary storage, and the next query is initiated over path 286, and the process is repeated. This is the state saving pathway which is required to provide the user of the Cool ICE system to function in a dialog mode over the world wide web.

Upon receipt of the resultant data from the final query of data base 264, state manager 260 determines that the service request is now complete. State manager 260 notifies repository

262 via path 280, and the intermediate products are retrieved from temporary storage in repository 262 via path 278 and supplied to Cool ICE service handler 258 via path 272 for formatting. State manager 260 then clears the intermediate products from temporary storage in repository 262 via path 282. The final response to the service request is sent to Cool ICE object 256 via path 270 for manipulation, if necessary, and to browser 244 via path 250.

5  
5

TOTAL "BEE" 1007333 122101

Fig. 10 is a detailed diagram 440 showing operation of the security system during the honoring of a service request. The user, operating industry compatible, personalized computer, workstation 442, formats a service requests via commercially available web browser 444. In the preferred mode of the present invention, this is accomplished by then making a call to the Cool ICE system. The user simply requests access to the Cool ICE home page by transferring web browser 444 to the URL of Cool ICE system. After the Cool ICE home page has been accessed, one of the buttons is clicked requesting a previously defined service request. For additional detail on the service request development process, see above and the above referenced commonly assigned, co-pending U.S. Patent Applications.

The service request is transferred to web server 454 via world wide web path 446. The service request is received by Cool ICE object 462 and translated for use within the Cool ICE system. The request is referred to the Cool ICE Engine Interface 471 via path 464. In the preferred mode of practicing the present invention, the Cool ICE Engine Interface 471 is equivalent to the MAPPER data base management system. The service request is passed to Cool ICE Service Handler 472 for retrieval of the command language script which describes the activities required of the data base management system to respond to the service request.

Cool ICE Service Handler 472 makes an access request of Cool ICE service portion 480 of repository 482 via path 478. It is within Cool ICE service portion 480 of repository 482 that the command language script corresponding to the service request is stored. The command language script is obtained and transferred via path 466 to service handler 472 for execution.

Along with the command language script, a security profile, if any, is stored for the service request. As explained in the above referenced, commonly assigned, co-pending U.S. Patent Application, the security profile, if required, is added to the command language script file at the time of service request development by the service request developer. This security profile identifies which of the potential service requestors may actually be provided with a complete response. The security profile, if any, is similarly transferred to service handler 472 via path 476.

If no security profile has been identified for the service request, service handler 472 allows the execution of the command language script received via path 476 through access of remote database 456 via paths 458 and 460, as required. The response is transferred to Cool ICE object 462 via path 468 for conversion and transfer to workstation 442 via world wide web path 450.

However, if a security profile has been identified for the service request, service handler 462 requests the user to provide a user-id via path 470, Cool ICE object 462, and world wide web path 452. Service handler 472 awaits a response via world wide web path 448, Cool ICE object 462, and path 466. Service handler 472 compares the user-id received to the security profile stored with the command language script. If the user matches the security profile, access is granted and service handler 472 proceeds as described above. If the user does not match with the stored security profile, the service request is not executed and the user is notified via an appropriate message.

Fig. 11 is a detailed flowchart 300 showing the process for authoring a Cool ICE service in SQL utilizing the data wizard. Entry is made at element 302. This is accomplished by the user who enters from the data wizard request on the user's standard browser. The user actually  
5 clicks on the data wizard button of the Cool ICE home page, which appears if the user-id indicates that the user is to have service development access to Cool ICE. This causes an HTML page to be transmitted to the Cool ICE system requesting the initiation of the data wizard script writing tool. The HTML page also indicates whether the request is to create a new Cool ICE service or to review (and possibly modify, copy, etc.) an existing Cool ICE service.

If the request is to create a new Cool ICE service as determined by element 306, control is given via path 308 to element 312 for selection of the data source. This data source may be co-located with the Cool ICE system or may reside at some remote location. Though it is transparent to the user whether the data is co-located, it involves additional scripting to fetch data from a remote location. Cool ICE supports local databases ODBC (CORE level, 32-bit), Oracle,  
15 Sybase, Microsoft SQL, and Unisys MAPPER Query Language. Cool ICE supports remote databases Microsoft SQL, Informix, ODBC (CORE level, 32-bit drivers), Oracle, Sybase, Ingres, Unisys MAPPER Query Language, Unisys Relational Database Management System (RDMS), and Unisys A Series Query Language (ASQL). Up to five different data bases may be utilized through the use of the JOIN TABLES option.

20 The security profile is checked and verified at element 334. As discussed more fully in the above identified co-pending applications, this security profile can specify access to a

database, a table, or even an individual column of data within a table (see also Fig. 13). Element 338 refines the data base management system query to be used. At that point, the security profile may need to be reverified and control may be returned to element 334 via path 336. This iterative verification of the security profile is necessary as the query is refined, because the refining process may indicate other data elements which must be accessed. Of course, this reverification is most likely if the governing security profile specifies access to only individual columns within a table. After the security has been completely verified, element 334 creates and displays a table from the specified data sources. A more complete description concerning the refining process is found below in reference to Fig. 12.

The completed query is a sequence of command statements scripted in the SQL language, Cool ICE script, or a combination involving Cool ICE reports stored in the repository. It defines all of the data base management system functions which must be executed to properly respond to the to service request made by the user at the internet terminal. This completed query is saved in the repository (see above) by element 340. The query may be saved as both a query definition service and as a dynamic HTML service along path 342. Thus the completed service may be easily called for subsequent use.

Following saving of the completed query definition, path 344 permits element 350 to set a security profile for the service just defined. This security profile specifies which user-id(s) may access this service. The service will not appear on the Cool ICE main menu or on the data wizard service list for any user-id not thus specified as a user of the service. The security profile for a given user may be changed subsequently as described below in more detail.



Path 346 permits execution of a selected query service at element 352. The user may exit data wizard at element 354 via path 348.

When element 306 determines that an initial user request is to view an existing query definition, path 310 provides control to element 314. If the user-id of the requestor matches with the security profile of the exiting query definition, element 314 displays the query definition by formatting and transmitting an HTML screen to the user internet terminal. As explained above, the security profile given to the existing query definition, if any, will determine whether it will even appear on the user menu. The user is then given the option via a menu selection of one of paths 316, 318, 320, 322, 324, or 326.

Path 316 permits creation of a new query definition. Path 318 provides for copying of an existing query definition. Path 320 produces opportunity to modify an existing query definition. In each of these three cases, path 328 gives control to element 312 for creation or modification of the query definition in accordance with the process described above.

Path 322 provides for removal of the query definition. In this instance, an obsolete query definition may be erased from the repository.

Path 324 is available to change the security profile for a given selected query definition. Control is given to element 350 via path 330 and the security profile is modified as discussed above. Path 326 gives the user the opportunity to execute an existing query definition. Element 352 receives control from path 332 and executes the existing query definition as discussed above.

**Fig. 12** is a detailed diagram 356 of the query definition refining process wherein elements 358, 360, 376, and 378 correspond to elements 334, 338, 340, and 336, respectively, of Fig. 11. Upon presentation of the selected data sources table, the query definition may be refined at element 3608. The options available are:

1. add a where clause that defines up to five conditions for retrieving data from the report or table along path 362 or an order by clause along path 364;
2. Sort the table or report according to the data in up to five columns;
3. Analyze and summarize selected data in the report or table via path 366. For each column a total value, average the data, select a minimum column value, or select a maximum column value may be computed.
4. Perform calculations on the data via path 368. The data wizard can compute, compare, and replace numeric data, character strings, dates, and times in selected columns.
5. Reformat or define how the selected data appears when the Cool ICE service for this query definition is executed via path 370. Using the reformat option enables definition of the column order, field size, and column headings.
6. Create a graph of the data via path 374. The definition of the graph may be saved as part of the query definition.

Basically, refining a query definition is a three-step process. The three steps are: where and order by; analyze, calculate, and reformat; and create a graph or selectively view any or all columns. The user simply makes the selections on the user menu and clicks on the desired result. The data wizard applies the specific refining action and redisplay the resultant screen.

**Fig. 13** is a detailed flow diagram 380 of the functions performed by the Cool ICE administration module (see also Figs. 4, 5, and 9) for query definition. The primary responsibility of Cool ICE administration module 382 is to register with the required local and remote data bases needed for the query definition. Path 384 provides for such registration.

In order for registration to take place, Cool ICE administration prompts the user with one or more HTML screens for entry of the data needed to identify and register the data bases. For each data base to be utilized, the user must supply information such as the TCP/IP address, data base type (e.g., ODBC, MQL, etc.), user-id, user password, and logical name for this data source within Cool ICE. Access to a particular data base may be for the entire data base as with path 384, only specified tables within the data base as with path 386, or only with specified columns with specified tables within the data base as with path 388. In each instance, the user-id and user password supplied must correspond to the access specified.

Path 390 permits the user to create a security profile for the query definition. It is axiomatic that the user can define a security profile which is more restrictive than the user's own security profile, but cannot define a less restrictive profile. As with all Cool ICE security profiles, access may be granted by entire data base, by select tables within the data base, or by select columns within select tables within the data base.

Security profiles are allocated to individual users via path 392. In a typical application, certain employees might have access to the query definition and all of the resulting response,

whereas others may have access to the query definition but have access to only a portion (by table and/or column) of the resulting response. Yet others would be denied any access.

10027338-122101

**Fig. 14** is a detailed schematic diagram 394 of query definition using the data wizard.

The user, at internet workstation 396, activates commercially available world wide web browser 398 and accesses the Cool ICE homepage via world wide web paths 406, 408, and 412 using the previously defined URL. The Cool ICE homepage has a button for calling data wizard 420 for query definition.

Cool ICE data wizard 420 determines the nature of the service request (see also Fig. 11) and begins processing. Paths 414 and 416 enable Cool ICE administration module 432 to register the required data bases (see also Fig. 13). The resulting SQL script generated by data wizard 420 is transferred to repository 438 via path 430 for storage at query definition storage area 436.

Execution of an existing data wizard scripted query definition is accomplished by Cool ICE engine 428 which is essentially the MAPPER data base management system in the preferred mode of the present invention. The script is accessed from storage and transferred to Cool ICE engine 428 via path 434. Accesses to remote database(s) 422 is via world wide web paths 424 and 426.

The resultant report produced by execution of the query definition script is transferred to data wizard 420 via path 418 for formatting. The response is then transferred to service handler 402 via path 410 for transfer via world wide web path 412 as an HTML page which is presented to the user on workstation 396.

Fig. 15 is a flow diagram showing operation of the Join Service within Cool ICE Data Wizard 500. At element 504, the developer specifies up to five tables, up to fifty fields, and a defining where clause. These definitions are provided to Cool ICE Data Wizard Join 506. The joined resulting data is provided to element 508 to permit other data wizard operations. The output is produced at element 512. The End user has the joined and formatted data available at element 514.

Fig. 16 is a detailed flow chart showing the operation of the join service. Entry is via path 516 which corresponds to the output of select data source 312 (see also Fig. 11). Up to five tables are selected by the user at element 518. Element 520 checks and displays the selected tables. The join functions are performed at elements 522 and 524 as shown. Path 526 returns control to element 338 (see Fig. 11). In accordance with the preferred mode of the present invention, the data bases in the following formats may be joined with the Cool ICE Data Wizard

Join Service: ODBC;

RDMS (HMP/IX);

RDMS (HMP/IX) UniAccess ODBC;

DMS HMP/IX INFOAccess32 OCBC (level 3.2 or 3.3);

DMS II HMP/NX - InfoAccess32 ODBC (level 4.2);

Oracle;

Microsoft SQL Server;

Sybase Adaptive Server;

Informix; and

Ingres.

**Fig. 17** is a detailed flow diagram of the Utrace Architecture. A client, such as Client A (Application 1) 530, Client B (Application 1) 532, and Client C (Application 2) 534 requests tracing services through UTRACER.DLL 542. The client calls a method from CUTracer 536, CUTracer 538, or CUTracer 540 to explicitly turn on tracing, unless the tracing is implicitly turned on when the CUTracer object reads the trace registry settings for the component.

The activated CUTracer class instantiates an instance of the Utrace COM object, and based on information from the client, sets client specific properties in the component. The client also sets properties of the trace helper class to assist in automatic formatting trace messages. The client builds up a trace message using the CUTracer class, and then calls on a method to send the message.

The CUTracer class does formatting as determined by its properties, and then invokes one of the IUTrace interface methods (i.e., IUTrace 546, IUTrace 548, or IUTrace 550) from ULTRACE.EXE 544 to trace the message. The Utrace component then writes a line of trace information to the trace file (i.e., Application 1 Trace File 562 for application 1 or Application 2 Trace File 564 for application 2). The activities of the trace session (i.e., trace file open, information gathering, and trace file close) are under the direction of the application.



**Fig. 18** is a table 565 showing the various registry settings in accordance with the preferred mode of the present invention.

10027338-122101  
TOTAL SEE 2001

**Fig. 19** is a flow chart showing the generic trace process. Tracing may be initiated manually by client 566 or automatically by application 568. In either situation, element 570 turns on the trace process. Parameters for the tracing process may be supplied by both the client, via element 572, and by the application, via element 574.

Element 576 initiates the UTrace COM object (see also Fig. 17). The specific trace object is built at element 578. Element 580 sends the method call message, and element 582 prepares the class generic formatting. The actual trace is performed at element 584. The trace data is stored at element 586.

**Fig. 20A** is a table showing the definitions for policy trace flags which are stored in a registry value. In addition, the application may define its own set of policy flags that are more appropriate for that application. Through registry settings, the policy may apply to all components of the application. Alternatively, different policy settings may be applied to different components. These policy settings are stored in a corresponding registry key.

1002733B 122101  
"0T221" 8E2200F

**Fig. 20B** is a table showing a typical run-time call. Upon encountering this script, the policy for the component is queried for the CI\_TRACE\_DETAIL policy flag to see if the tracing should actually occur.

10027338 122101  
T0T22T 88220T

**Fig. 21** is a detailed flow chart showing branching from the Data Wizard Main Menu.

The user interface process begins with Data Wizard Main Menu 588. A first possible user selection is branch 590 which is used to create a new query. The major division for new queries is via path 592 for a standard query or via path 594 for a transaction query. Element 598 of processor 596 selects the appropriate category. Whether the new query is based upon a previous query is determined by element 500. If no, control is given to the Query Builder at element 606. Otherwise, control is first given to element 602 for selection of the query, before element 606 sends the query request to the Query Builder.

Branch 608 corresponds to the request to edit an existing query. The category is selected at element 610. The process continues by passing control to the query builder at element 612.

Execution of a query cause branching to path 614. Element 616 provides for selection of a category. Execution and display at element 618 follows.

Element 620 provides a path for adding security to a query. A category is selected at element 622. The appropriate security profile(s) is added at element 626 and control is returned to Data Wizard 588 via element 628.

Branch 630 provides the path to delete a query. The category is selected at element 632. The user is given an opportunity to affirm the deletion decision at element 634. If the user changes his/her mind, path 636 returns control to Data Wizard Main Menu 588. Otherwise element 628 deletes the query before returning control to element 588.

Help information is provided via path 640 which exits to help topics at element 642.

Branch 644 permits exiting the data wizard. Element 646 gives control to Cool ICE Main Menu.

1007338 122101  
T0221 " SEC2001

Fig. 22 is a detailed flow chart of the process of building a query. Element 648 provides the entry to the query builder. Path 650 permits specification of the variables. Control is returned to query builder 648 via element 654. Path 656 provides for selection of the source(s) of the components for construction of the customized user interface. Database selection is via element 658. Element 664 provides for selection of columns via path 660 with source returned via path 662. Return to Query Builder 648 is via element 666.

Where is selected at element 672 and order is selected at element 686. Paths 668 and 682 specify where and order, respectively. Source is returned via paths 670 and 684. Elements 672 and 686 exchange where, order, and column information, as shown. Advanced where operations are transferred via path 674 to element 676 with simple where communicated via path 678. Paths 680 and 688 return control to Query Builder 648. Operations 690 are not applicable to transaction queries.

Manipulation of columns is accomplished via path 692. Columns are added via element 694 with element 696 returning control to Query Builder 648. Operations 698 are not applicable to transaction queries. Element 702 specifies partial columns. Control is returned to Query Builder 648 via element 700.

Data manipulation is accomplished along path 704. Element 706 provides for selection of tasks for calculation (via path 708), analysis (via path 714), and sorting (via path 716). The columns for calculation are selected via element 710. Element 712 builds the equation(s) to accomplish the calculation before control is returned via element 728. The remainder of the data

manipulation functions (i.e., operations 726) are applicable only to standard queries. Horizontal and vertical analysis are via elements 722 and 724, respectively, whereas element 720 sorts the records. Returns occur via paths 728 and 726.

All of operations 728 involving display from path 730, are applicable only to standard queries. Element 732 selects table (i.e., path 734), form (i.e., path 736), and graph (i.e., path 738). Specification of table, form, and graph are by elements 740, 742, and 744, respectively. Similarly, elements 746, 748, and 750 actually display table, form, and graph, respectively. Return is via element 752.

Operations 754 are applicable only to transaction queries. Path 756 provides for insertion, updating, and deletion of records. Element 758 makes the appropriate selection. Paths 760, 762, and 764 direct control to elements 756, 758, and 760 for insertion, updating, and deletion. Paths 766 direct control to switch 768, which directs tables via path 770 for display at element 774, and which directs forms via path 772 to element 776 for display.



**Fig. 23** is a detailed flow chart showing conclusion of the process. Entry is via path 786.

Element 788 examines the query. Comments are sent to display 792 with responses returned via path 794. Path 796 continues. Element 798 saves the query definition. Element 800 deals only with transaction queries. Conclusion is via path 802, with return to Data Wizard Main Menu via element 804.

10067338-122101

**Fig. 24** is a detailed flow diagram showing the operation of the key components of the Component Builder of the present invention. Entry is via element 806. Element 808 provides for building of the XML source mapping tree. Generally the overall structure is defined initially, although iterative modifications may be made during the mapping process.

A typical way of defining the XML source mapping tree structure is via a Document Type Definition (DTD). The DTD is loaded using element 822. The DTD may be simply returned to XML tree build 808 or it may be modified by element 820 using input from XML tree build 808 before being returned to element 808.

Once the basic tree structure is in place, XML tree build 808 begins populating the tree. Source selection is performed via element 814. XML source build is done via element 816. Element 820 provides XML item properties, as shown.

Element 810 provides the user with the opportunity to save the XML mapping component for further use. This is ordinarily accomplished before exit at element 812, as shown.

Element 818 permits the XML DTD to be displayed via a separate browser window.

Fig. 25 is a view of window 826 which is the entry to the Component Builder of the preferred mode of the present invention. Window 826 has the normal functionality of similar windows within the common operating environment. Window 826 is generally arranged with the XML mapping tree positioned in the left pane 828. Sources 860 occupy the center pane. Properties 862 is found in the right most pane.

Turning to the left pane 828, containing the XML mapping tree, Newspaper 836 is at the highest level. The second level contains article 838. At the third level are Author 840, Editor 842, Date 844, and Edition 846. The later portion of the second level contains Headline 848, Byline 850, Lead 852, Body 854, and Notes 856. Column 858 contains an enablement "dot" for each of the listed elements in the XML mapping tree.

The center pane contains sources 860. Shown are variables and tables, although presumably other sources may also be utilized.

Properties are shown in the right pane of window 826. The main property selections are Name conversion 864, Table mapping 866, and Mapping type 868. Actions 870 are also available.

**Fig. 26** is a view of window 878 of the component builder which provides for definition of mapping properties 880. The XML mapping tree is located in the left most pane. It is as explained above. The push button, Elements 896, has been added.

5 The right pane is used to define the mapping properties. Pull down menu 882 permits selection of sequence. Similarly, pull down menu 884 provides selection of element form. Pull down menu 886 permits selection of "mapped to". The source/destination is displayed at element 888.

Pull down menu 892 provides selection of DTD representation. XML representation is selected in pull down menu 894. Push button 898 activates "sources".

Additional functionality is provided by push button 900 which returns control to the home page. Push button 902 activates a display of the DTD. Push button 904 permits the user to save the current mapping.

**Fig. 27** is a view of window 906 of the Component Builder. It provides the function of DTD upload 908. Pull down menu 910 presents the pathways for the available DTD's. After selection, push button 912 causes the selected DTD to be retrieved.

1002338 122101  
TOTAL 8322001

Having thus described the preferred embodiments of the present invention, those of skill in the art will be readily able to adapt the teachings found herein to yet other embodiments within the scope of the claims hereto attached.

WE CLAIM:

5  
1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203  
2204  
2205  
2206  
2207  
2208  
2